

Designation: E 1696 – 95b (Reapproved 2001)



Designation: E 1696 - 02

Standard Test Method for Field Measurement of Raised Retroreflective Pavement Markers Using a Portable Retroreflectometer¹

This standard is issued under the fixed designation E 1696; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (ϵ) indicates an editorial change since the last revision or reapproval.

¹ This test method is under the jurisdiction of ASTM Committee E12 on Color and Appearance and is the direct responsibility of Subcommittee E12.10 on Retroreflection. Current edition approved—Oet. June 10,—1995. 2002. Published—December—1995. August 2002. Originally published as E 1696 – 95. Last previous edition E 1696 – 95ab (2001).

1. Scope

- 1.1 This test method covers the measurement of the retroreflective properties of raised retroreflective pavement markers at a prescribed geometry, by means of a portable retroreflectometer that can be used in the field. The measurements can be compared to minimum requirements to determine the need for replacement.
- 1.2 The observation angle specified for retroreflectometers in this test method is that currently specified for raised pavement markers in the United States and may differ from the angles used elsewhere. For other jurisdictions, replace the observations angle specified herein with the observation angle specified by the pertinent agency.
- 1.3 This test method is intended to be used for field measurement of raised retroreflective pavement markers but may also be used to measure the performance of new markers before they are placed in the field.
 - 1.4 The values stated in SI units are to be regarded as the standard. The values given in parentheses are for information only.
- 1.5 The standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use

2. Referenced Documents

- 2.1 ASTM Standards:
- E 284 Terminology of Appearance²
- E 809 Practice for Measuring Photometric Characteristics of Retroreflectors²

3. Terminology

- 3.1 The terms and definitions in Terminology E 284 are applicable to this test method.
- 3.2 Definitions—The delimiting phrase "in retroreflection" applies to each of the following definitions when used outside the context of this or other retroreflection standards:
- 3.2.1 coefficient of luminous intensity, $R_{\rm I}$, n—of a retroreflector, ratio of the luminous intensity (I) of the retroreflector in the direction of observation to the illuminance (E|nt) at the retroreflector on a plane perpendicular to the direction of incident light, expressed in candelas per lux (cd·lx⁻¹).
- 3.2.1.1 *Discussion*—When values are low, the coefficient of (retroreflected) luminous intensity may be given in millicandelas per lux (mcd·lx⁻¹). $R_I = (I/E|\text{nt})$.
 - 3.2.2 entrance angle, n—angle between the illumination axis and the retroreflector axis.
 - 3.2.3 illumination axis, n—line from the effective center of the source aperture to the retroreflector center.
 - 3.2.4 observation angle, α , n—the angle between the illumination axis and the observation axis.
- 3.2.5 *portable retroreflectometer*—a hand-held instrument that can be used in the field or in the laboratory for measurement of retroreflectance.
- 3.2.5.1 *Discussion*—In this test method, "portable retroreflectometer" refers to a hand-held instrument that can be placed over a raised retroreflective pavement marker to measure the coefficient of luminous intensity with a prescribed geometry.
 - 3.2.6 instrument standard, n—a working standard used to standardize the portable retroreflectometer.
- 3.2.7 retroreflection, n—reflection in which the reflected rays are preferentially returned in directions close to the opposite of the direction of the incident rays, this property being maintained over wide variations of the direction of the incident rays.

² Annual Book of ASTM Standards, Vol 06.01.

3.2.8 retroreflective element, n—one optical unit which by refraction or reflection or both produces the phenomenon of retroreflection.

4. Summary of Test Method


- 4.1 This test method involves the use of commercial portable retroreflectometers for determining the coefficient of luminous intensity of pavement markers.
 - 4.2 Entrance angle component β_1 shall be between θ -2° and θ -2°, 0°; entrance angle component θ shall be 0° θ -2°.
 - 4.3 Unless otherwise specified by the user, the observation angle shall be $0.2^{\circ} \pm 0.01^{\circ}$.
 - 4.4 The observation half plane shall be vertical. Rotation angle shall be 0° (see Fig. 1 and Fig. 2).
- 4.5 The sum of the aperture angles of source plus receiver shall be $0.2^{\circ} \pm 0.04^{\circ}$ (see Table 1 of Practice E 809). $\pm 0.04^{\circ}$. Maximum system sensitivity is obtained when aperture angles of source and receiver are equal.
- 4.6 The aperture angle of an individual retroreflective element shall be 0.02° max (see Practice E 809). For a portable photometer this aperture angle can be achieved by interposing a collimating lens in the illumination and observation axes.
 - 4.7 A portable standard shall be used for standardization.
- 4.8 After standardization place the retroreflectometer directly over the marker to be tested making sure that the road-axis marking on the retroreflectometer is parallel to the lane line of the road.
- 4.9 The reading displayed by the retroreflectometer is recorded. The retroreflectometer is removed from the marker, then replaced and the reading recorded again. If the difference in readings is greater than 10 %, the process is to be repeated a third time.

5. Significance and Use

- 5.1 Measurements of R_I made by this test method are related to visual observation of raised retroreflective pavement markers at distances of approximately 152 m (500 ft) for cars or approximately 304 m (1000 ft) for trucks when illuminated by tungsten filament light sources such as car headlights.
- 5.2 The coefficient of luminous intensity of raised retroreflective pavement markers degrades with traffic wear and requires periodic measurement to ensure that sufficient visibility is provided to the driver.
- 5.3 The quality of the pavement markers as to materials used, age and wear pattern, will have an effect on the coefficient of (retroreflected) luminous intensity. These conditions need to be observed and noted by the user.

6. Apparatus

6.1 Portable Retroreflectometer:



Location of retroreflector axis, datum axis and retroreflector center for use in testing raised pavement markers.

Retroreflector Center-located on the surface of the effective retroreflective area, centered both vertically and horizontally.

Retroreflector Axis-extends parallel to the road surface from retroreflector center.

Datum Axis-extends vertically from the road surface plane starting at retroreflector-center.

FIG. 1 Position of Marker for Photometry






FIG. 2 Angles and Apertures for Collimating Type Portable Retroreflectometer for Raised Retroreflective Pavement Markers

- 6.1.1 The retroreflectometer shall be portable with the capability of being positioned over markers installed on the roadway surface.
- 6.1.2 The retroreflectometer shall be constructed so that placement on the road will preclude any stray light from entering the area being tested under daylight conditions.
- 6.1.3 The retroreflectometer shall be constructed so that it can be placed over the marker with the illumination axis parallel to the road surface.
- 6.1.4 The combined spectral distribution of the light source and the spectral responsivity of the receiver shall match the combined spectral distribution of CIE Illuminant A and the $V(\lambda)$ spectral luminosity function according to the following criterion: for any choice of plano parallel colored absorptive filter mounted in front of a white retroreflective sample, the ratio of the R_I measured with the filter to the R_I measured without the filter shall be within 10 % of the Illuminant A luminous transmittance of an air-spaced pair of two such filters.

Note 1—In the retroreflectometer the filter should be mounted with a downward tilt (for example, 1.0°) for avoiding specular reflection into the receiver.

- 6.1.5 When using a standard similar in color, material, and type to the sample, measured R_I shall not deviate by more than 10 % from measurements made on a laboratory photometer conforming to Practice E 809 with observation angle, α , as specified and $\beta_1 = \beta_2 = \epsilon = 0^{\circ}$.
- 6.1.6 If, for convenience, the user chooses to use a white standard for all markers, a correction factor shall be applied to the readings obtained with the white standard. To determine the correction factor, (1) standardize the instrument using a white standard; (2) without changing the instrument settings, note the reading for a selected prephotometered standard similar in color, material, and type to the markers to be tested; and (3) divide the known retroreflectance of the selected prephotometered standard by the reading noted in (2). Multiply all readings obtained for markers of a particular color, material, and type by the correction factor obtained for that color, material, and type.
- 6.1.7 For the convenience of the user, a road-axis marking shall be placed on the instrument to permit it to be aligned with the direction of traffic.
 - 6.2 Light Source Requirements:
- 6.2.1 The projection optics shall be such that the illuminance over the entire test area shall be within 10 % of the average illuminance.
- 6.2.2 The source shall be regulated such that the illumination of the test area does not change by more than ± 1 % for the duration of the test.
 - 6.3 Receiver Requirements:
- 6.3.1 The receiver shall have sufficient sensitivity and range to accommodate coefficient of luminous intensity values expected in use, typically 1 to 1999 mcd·lx⁻¹.
 - 6.3.2 The receiver response shall not vary more than ± 2 % for the duration of the test.
 - 6.4 Measurement Geometry:
- 6.4.1 The light source and receiver shall be at optical infinity to ensure that the angular aperture of an individual retroreflecting element shall be not more than 0.02°.
- 6.4.2 The light source and receiver shall be separated from each other by a center to center distance corresponding to 0.2° $\pm 0.01^{\circ}$ observation angle.

7. Procedure

- 7.1 Turn on the retroreflectometer and allow it to reach equilibrium.
- 7.2 With the retroreflectometer positioned on the road surface near the markers to be tested, adjust the retroreflectometer zero knob for reading of 0 ± 2 in the least significant figure. For laboratory use the retroflectometer shall be zeroed on the same non-retroreflective surface on which the marker is to be positioned for test.
- 7.3 At approximately the same location on the road where the retroflectometer was adjusted for zero, place an instrument standard similar in color, material, and type to the marker being tested and having a known and relatively constant retroreflectivity.



The instrument standard shall be checked on a laboratory photometer (see Practice E 809) at regular intervals, and the standard value shall be adjusted.

- 7.4 Position the retroflectometer over the instrument standard and turn on the instrument. After warm up for the time recommended by the manufacturer, typically 15 s, set the instrument gain so that the meter shows the value of the instrument standard.
- 7.5 Place the retroflectometer over the marker to be photometered making sure that there are no impediments to seating the instrument on the roadway surface. Record the reading, which will be in $mcd \cdot lx^{-1}$.
- 7.6 Remove the retroreflectometer, reposition the retroreflectometer over the marker, and again record the reading. If the two readings differ by more than 10 %, again remove and reposition the retroreflectometer and take a third reading.
- 7.7 Wipe the surface of the marker with a soft rag very wet with detergent and water using care not to abrade the marker surface. Dry thoroughly by patting with a paper towel.
 - 7.8 Repeat 7.6 and 7.7 and record readings for the markers after cleaning.

8. Report

- 8.1 Report the following information:
- 8.1.1 The test date,
- 8.1.2 The marker location including distance from the nearest permanent site identification such as a mileage marker or crossroad.
 - 8.1.3 The identification of the instrument used,
- 8.1.4 The average readings before and after cleaning. The readings will be the coefficient of luminous intensity in millicandelas per lux (mcd/lx).
 - 8.1.5 Remarks as to condition of the marker such as percentage of area undamaged, and
 - 8.1.6 The value and date of standardization and identification of the reference standard used.

9. Sources of Error

- 9.1 There are many factors that cause high variability when taking readings in the field.
- 9.1.1 Retroreflectometers with differing entrance angles, observation angles, or angular apertures, or combination thereof will give different readings.
- 9.1.2 Retroreflectometers lacking a collimating lens to eliminate the effects of size of the retroreflecting element will give different readings and are not recommended (see 4.6).
 - 9.1.3 Slight differences in the seating of the retroreflectometer around the marker may give different readings.
- 9.1.4 Differences in the cleanliness of the marker will cause differences in reading. For instance, a marker photometered shortly after a rain will read higher than the same marker photometered after a long dry spell.

10. Precision and Bias

10.1 These data are under development.

11. Keywords

11.1 portable retroreflectometers; raised retroreflective pavement markers; retroreflection

ASTM International takes no position respecting the validity of any patent rights asserted in connection with any item mentioned in this standard. Users of this standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, are entirely their own responsibility.

This standard is subject to revision at any time by the responsible technical committee and must be reviewed every five years and if not revised, either reapproved or withdrawn. Your comments are invited either for revision of this standard or for additional standards and should be addressed to ASTM International Headquarters. Your comments will receive careful consideration at a meeting of the responsible technical committee, which you may attend. If you feel that your comments have not received a fair hearing you should make your views known to the ASTM Committee on Standards, at the address shown below.

This standard is copyrighted by ASTM International, 100 Barr Harbor Drive, PO Box C700, West Conshohocken, PA 19428-2959, United States. Individual reprints (single or multiple copies) of this standard may be obtained by contacting ASTM at the above address or at 610-832-9585 (phone), 610-832-9555 (fax), or service@astm.org (e-mail); or through the ASTM website (www.astm.org).