

DESIGN SPECIFICATIONS:

THIS STANDARD DRAWING CONFORMS TO THE "AASHTO LRFD BRIDGE DESIGN SPECIFICATIONS" ADOPTED BY THE AMERICAN ASSOCIATION OF STATE HIGHWAY AND TRANSPORTATION OFFICIALS, 2007, INCLUDING THE 2008 INTERIM REVISIONS, AND THE 2007 ODOT BRIDGE DESIGN MANUAL.

DESIGN DATA:

DESIGN METHOD - LOAD AND RESISTANCE FACTOR DESIGN LIVE LOAD - HL93

FUTURE WEARING SURFACE - 0.06 KSF DESIGN STRESSES:

CONCRETE - COMPRESSIVE STRENGTH = 4.5 KSI
REINFORCING STEEL - MIN. YIELD STRENGTH = 60 KSI
SPIRAL STEEL - MIN. YIELD STRENGTH = 60 KSI
HP12X53 STEEL PILE - MIN. YIELD STRENGTH = 50 KSI

ITEM SPECIAL - PILE ENCASEMENT:

ENCASE OR GALVANIZE ALL STEEL H-PILES AS SHOWN. CONCRETE FOR ENCASEMENT SHALL BE CLASS C. PROVIDE A CONCRETE SLUMP BETWEEN 6 TO 8 INCHES WITH THE USE OF A SUPERPLASTICIZER. FOR THE GALVANIZING OPTION, GALVANIZE PILES ACCORDING TO 711.02 WITH A MINIMUM COATING THICKNESS OF 4 MILS. REPAIR TO THE SATISFACTION OF THE ENGINEER ALL GOUGES, SCRAPES, SCRATCHES OR OTHER SURFACE IMPERFECTIONS CAUSED BY THE HANDLING OR THE DRIVING OF THE PILE.

THE DEPARTMENT WILL MEASURE PILE ENCASEMENT BY THE NUMBER OF FEET. THE DEPARTMENT WILL DETERMINE THE SUM AS THE LENGTH MEASURED ALONG THE AXIS OF EACH PILE FROM THE BOTTOM OF THE ENCASEMENT TO THE BOTTOM OF THE PIER CAP. THE DEPARTMENT WILL NOT PAY FOR GALVANIZING PROVIDED BEYOND THE PROJECT REQUIREMENTS. THE DEPARTMENT WILL PAY FOR ACCEPTED QUANTITIES AT THE CONTRACT PRICE FOR ITEM - SPECIAL, PILE ENCASEMENT.

FALSEWORK SUPPORT:

THE DEPARTMENT WILL ALLOW PERMANENT ATTACHMENT OF THE FALSEWORK ONLY IF THE ATTACHMENT IS MADE TO THE PORTION OF THE PILE ENCASED IN THE PIER CAP. THE DEPARTMENT WILL NOT ALLOW OTHER METHODS OF PERMANENT ATTACHMENT TO THE PIER INCLUDING METHODS THAT REQUIRE PERMANENT FALSEWORK SUPPORT ENCASED IN THE BRIDGE SLAB. THE FALSEWORK SUPPORT SHALL NOT PRODUCE ECCENTRIC LOADS IN THE PILES.

GENERAL:

THIS DRAWING PROVIDES GENERAL DESIGN AND CONSTRUCTION DETAILS. THE PROJECT PLANS FOR EACH STRUCTURE SHALL SHOW STATIONS, SPAN LENGTHS, ROADWAY WIDTH, SKEW, CURVE AND SUPERELEVATION DATA (IF ANY), ELEVATIONS, SUPERSTRUCTURE DETAILS, ESTIMATED QUANTITIES, REINFORCING STEEL LIST AND OTHER NECESSARY DETAILS AND SPECIAL NOTES.

PILES:

THE DESIGNER SHALL FURNISH THE PILE TYPE, SIZE, SPACING AND ULTIMATE BEARING VALUE OR TOTAL FACTORED LOAD ON THE PROJECT PLANS. THE MINIMUM SIZE SHALL BE A 16" DIAMETER CAST-IN-PLACE PILE AND AN HPI2X53 PILE. THE MAXIMUM PILE SPACING IS 7'-6".

REINFORCING STEEL:

THE MINIMUM LAP LENGTHS ARE 3'-7" FOR NO.5 BARS AND 4'-4" FOR NO.6. LAP LENGTHS ASSUME EPOXY COATED STEEL. NO.11 BARS SHALL BE SPLICED BY THE USE OF MECHANICAL CONNECTORS. THE MECHANICAL CONNECTOR SYSTEM USED SHALL BE ABLE TO DEVELOP 125 PERCENT OF THE FULL YIELD STRENGTH OF THE REINFORCING STEEL AS A MINIMUM. IF THE LONGITUDINAL BARS ARE SPLICED, PLACE LAP SPLICES IN A STAGGERED ARRANGEMENT.

SLAB THICKNESS: SEE THE CONTINUOUS CONCRETE SLAB STANDARD BRIDGE DRAWING FOR THE VALUE OF "T".

LIMITS OF DESIGN: THIS STANDARD DRAWING SHOULD NOT BE USED FOR ANY BRIDGE IN WHICH THE FOLLOWING LIMITS ARE EXCEEDED:

- (A) SKEW ANGLE OF 30°.
- (B) UNSUPPORTED LENGTH OF PILES EQUALS 20 FEET (CONSIDER SCOUR DEPTHS AND POINT OF FIXITY).
- (C) TO SUPPORT A STANDARD CONTINUOUS CONCRETE SLAB WITH AN INDIVIDUAL SPAN OF 57.50 FEET.
- (D) SLOPED EMBANKMENT, DEBRIS OR ICE FLOW LOADS WHICH WOULD CAUSE APPRECIABLE HORIZONTAL FORCE AGAINST THE PILE
- (E) ROCK OR OTHER FIRM MATERIAL THAT WOULD PREVENT DRIVING PILES AT LEAST 10 FEET BELOW THE FINISHED GROUND LINE.

16" C.I.P. REINFORCED CONCRETE PILES:

THE REINFORCING STEEL SHALL BE EPOXY COATED AND SHOWN IN THE STRUCTURE'S REINFORCING BAR LIST AND BE INCLUDED IN ITEM 507, 16 INCH CAST-IN-PLACE PILES FURNISHED FOR PAYMENT.

STANDARD
CAPPED PILE PIER
FOR CONTINUOUS SLAB BRIDGES

1 **/**