



Standard Guide for Health and Safety Training of Oil Spill Responders in the United States¹

This standard is issued under the fixed designation F 1656; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (ϵ) indicates an editorial change since the last revision or reapproval.

1. Scope

1.1 This guide establishes minimum health and safety training standards for three types of oil spill responders: Type A, first responders who are responsible for initial containment and cleanup; Type B, longer-term shoreline cleanup personnel; and Type C, other necessary support personnel who have minimal contact with the contamination.

1.2 The oil covered by this guide includes light, medium, and heavy crudes, as well as hydrocarbon products, such as gasoline, light fuel oil, distillates, and bunker (heavy fuel) oil. It is not aimed at specialty chemicals and other potentially hazardous materials, although some aspects of the training program would apply to those substances.

1.3 A number of topics are not specifically addressed in this guide because they are covered by other standards or guidelines. Examples are hot work practices, maintenance and repair of equipment, fire fighting, electrical hazards, emergency medical care, disposal of wastes, and so forth. The user is expected to become familiar with standards for these areas as required.

1.4 *This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.*

2. Referenced Documents

2.1 U.S. Federal Regulations:²

Title 29, Code of Federal Regulations (CFR), 1910.120 Regulations for Hazardous Waste Operations and Emergency Response (HAZWOPER)

Title 29, Code of Federal Regulations (CFR), 1910.132, General Requirements for Hazard Assessment and Training

Title 29, Code of Federal Regulations (CFR), 1910.133, Eye and Face Protection

Title 29, Code of Federal Regulations (CFR), 1910.134, Respiratory Protection

Title 29, Code of Federal Regulations (CFR), 1910.135, Head Protection

Title 29, Code of Federal Regulations (CFR), 1910.136, Foot Protection

Title 29, Code of Federal Regulations (CFR), 1910.138, Hand Protection

Title 29, Code of Federal Regulations (CFR), 1910.146, Enclosed Spaces

Title 33, Code of Federal Regulations (CFR), 154, Subpart F, Facility Response Plan Requirements

Title 33, Code of Federal Regulations (CFR), 155, Subpart F, Vessel Response Plan Requirements

Title 40, Code of Federal Regulations (CFR), 300, National Oil and Hazardous Substances Pollution Contingency Plan (NCP)

3. Terminology

3.1 Definitions of Terms Specific to This Standard:

3.1.1 *area contingency plan*—provides the initial governmental organization structure and mode of operation for the spill response. In the United States, it is prepared in advance by the area committee and applicable state and local response officials in accordance with 40 CFR 300, NCP.

3.1.2 *buddy system*—a requirement of 29 CFR 1910.120 that response personnel must work within sight/communication of a partner at all times.

3.1.3 *cold (support) zone*—minimal exposure area maintained as an uncontaminated location for support functions. Food service, clean equipment storage, and financial offices are examples of a cold zone. Operations in this area are generally carried out by Type C personnel.

3.1.4 *confined space*—an enclosed space or area, such as a tank, compartment, or pit where ventilation or access, or both, may be limited (refer to 29 CFR 1910.146).

3.1.5 *hot (early response) zone*—an area where there are potential exposure hazards. Type A workers are involved in containment and recovery operations in this zone. Airborne concentrations of hazardous substances may require respiratory protection in addition to other personal protective equipment.

3.1.6 *hyperthermia*—an abnormally high body temperature caused by exposure to elevated temperatures or radiant heat, or both.

3.1.7 *hypothermia*—an abnormally low body temperature caused by exposure to cold air or water.

¹ This guide is under the jurisdiction of ASTM Committee F-20 on Hazardous Substances and Oil Spill Response and is the direct responsibility of Subcommittee F20.21 on Initial Response Actions.

Current edition approved Oct. 10, 1995. Published December 1995.

² Available from the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.

3.1.8 *on-scene coordinator (OSC)*—In the United States, the pre-designated official responsible for ensuring immediate and effective response to a discharge or threatened discharge of oil or hazardous substance (40 CFR 300). The Coast Guard designates the OSC’s for coastal zones and the Environmental Protection Agency (EPA) designates OSC’s for inland zones.

3.1.9 *personal protective equipment (PPE)*—equipment used to shield or insulate a person from a chemical, physical, or thermal hazard. Personal protective equipment is available for skin, eyes, face, hands, feet, head, ears, and respiratory system, as appropriate.

3.1.10 *site safety and health officer*—One who is responsible for developing training curricula and site safety and health plans. Often referred to as site safety officer.

3.1.11 *site safety and health plan*—the framework that defines safety and health considerations and strategy for a specific site.

3.1.12 *site safety and health supervisor*—an individual in the field responsible for ensuring that the site safety and health plan is implemented as prescribed. The site safety officer can fill both positions.

3.1.13 *warm (contamination reduction) zone*—an area where oil is present but in a generally weathered state. In addition to decontamination and equipment decommissioning areas, contaminated shorelines containing weathered oil with vapor levels below that requiring respiratory protective equipment are considered warm zones for purposes of this guide. Type A or B workers, or both, would operate in these zones.

4. Significance and Use

4.1 This guide summarizes required course components to be included in training programs for oil spill response personnel. Its purpose is to assist trainers in developing curricula that address the health and safety risks specific to oil spill response. This guide may be tailored by the trainer to fit unique circumstances that are present if training is conducted during an actual spill emergency and is not intended to preclude consideration of regulatory requirements.

5. Types of Response Workers

5.1 The level of training required will depend on the level of involvement for each type of worker. For purposes of this guide, the three categories or types of workers are defined in Table 1.

5.1.1 *Type A Workers*, operate in the hot zone and are the most likely to encounter the spilled oil in a fresh state. Training for Type A workers should emphasize methods for determining the presence of harmful vapors and proper use of respiratory protective equipment.

5.1.2 *Type B Workers*, operate in the warm zone and include decontamination support personnel and shoreline cleaning crews. The oil they encounter will be in a weathered state. Training for Type B workers should emphasize mechanical hazards, dermal exposure, slips, trips, falls, and so forth.

5.1.3 *Type C Workers*, operate in the cold zone and include support personnel with no probability of contacting the spilled oil (cafeteria staff, financial advisors, secretaries, and so forth).

TABLE 1 Oil Spill Response Worker Categories

<i>Type A—Hot-Zone Personnel</i>	
Response managers	
Supervisors	
Equipment operators	
Boom deployers	
Boat operators	
Skimmer crews	
Dispersant handlers	
Barge personnel	
Tank truck operators	
Bulldozer operators	
Other initial response personnel	
Security forces	
Shoreline assessment team	
Site safety and health officers	
Field medical personnel	
Vapor monitoring personnel	
Etc.	
<i>Type B—Warm-Zone Personnel</i>	
Shoreline clean-up personnel	
Decontamination personnel	
Wildlife coordinators	
Animal handlers	
Waste management/handling personnel	
Etc.	
<i>Type C—Cold-Zone Personnel</i>	
General land-based support	
Historians	
Legal advisors	
Food service personnel	
Financial services personnel	
Supply personnel	
Etc.	

Type C workers do not require specialized safety and health training unless they expect to visit the spill site or take part in Type A or B activities.

6. Training Matrix

6.1 The recommended training curriculum subjects are presented in matrix form by worker types in Table 2. Though there

TABLE 2 Health and Safety Training Matrix

Subjects	Worker Types		
	<i>Type A</i>	<i>Type B</i>	<i>Type C</i>
General awareness	•	•	•
Exposures and chemical hazards			
Mechanical hazards	•	•	
Slips, trips, and falls	•	•	
Explosion and fire	•	•	
Biological hazards	•	•	
Physical hazards	•	•	
Water hazards	•	•	
Exposure routes (air, skin, ingestion)	•	•	
Confined space entry	•		
First aid	•	•	•
Safety and health requirements			
Industrial hygiene monitoring	•		
Respiratory protection	•		
Eye and ear protection	•	•	
Flotation devices	•	•	
Footwear	•	•	
Skin protection (gloves and protective clothing)	•	•	
Hard hats	•	•	
Personal hygiene	•	•	
Decontamination procedures	•	•	

is some flexibility in depth of coverage for each subject, the curriculum should be sufficient to familiarize each participant with all the possible hazards that may be encountered by that type of worker in his or her role.

6.2 *General Awareness:*

6.2.1 *Training Objectives*—Summarize the overall intent and purpose of the training program.

6.2.2 *Applicable Regulations*—Review the guidelines and regulations cited in Section 2 of this guide.

6.2.3 *Response Command Structure*—Review the makeup of area contingency plans, response management structure, responsibilities of the site safety and health officer and supervisor, and other relevant information on how regional responses are managed.

6.2.4 *Local or Organizational Issues, or Both*—Include alcohol and drug policies, firearm policy, local wildlife that may be at risk, and local natural hazards such as earthquakes, avalanche and rock slide potential, hurricanes, and so forth.

6.2.5 *Historical and Cultural Features*—Raise awareness so that experts can be called in if there is suspicion that the work area contains important archeological sites or sacred grounds.

6.3 *Exposures and Chemical Hazards:*

6.3.1 *Mechanical Hazards*—Include a summary of potential hazards from rotating equipment, electrical generators, boom deployment, boat operations, and so forth.

6.3.2 *Slips, Trips, and Falls*—Highlight that these are the most common sources of injury at a spill clean-up site. Review precautions for handling hoses, lines, and wires.

6.3.3 *Explosions and Fires*—Include a review of the fire triangle and presentation of lower and higher explosion limits for common hydrocarbon products.

6.3.4 *Biological Hazards*—Include discussion of poisonous plants, insects, spiders, snakes, rabid animals, and so forth. Also include marine hazards and wildlife rescue and rehabilitation.

6.3.4.1 *Marine Hazards*—Include jellyfish, Portuguese man-o-war, anemones, corals, urchins, and so forth.

6.3.4.2 *Emergency Care*—Include procedures to follow in the event of a sting or bite.

6.3.5 *Physical Hazards:*

6.3.5.1 *Noise*—Define the decibel range that characterizes high noise levels and the potential long-term impacts from prolonged exposure.

6.3.5.2 *Hypothermia*—Review causes and early warning signs of hypothermia as well as recommended treatment.

6.3.5.3 *Heat Stress*—Review safety problems common to hot environments, including a summary of heat-induced disorders (hyperthermia, stroke, exhaustion, cramps, fainting, and so forth) and the required medical attention for each. Training should emphasize the magnified potential for heat stress with use of protective clothing.

6.3.5.4 *Ultraviolet (UV) Hazards*—Review the hazards associated with UV exposure and the protection provided by different types of sunscreen and sunglasses.

6.3.6 *Water Hazards*—Include discussion of safe boating practices, personal flotation devices, other protective gear, unsafe weather conditions, and so forth.

6.3.7 *Exposure Routes:*

6.3.7.1 *Airborne Contaminants*—Review the key airborne hazards of concern with emphasis on benzene and hydrogen sulfide.

6.3.7.2 *Skin Exposure*—Include a discussion of dermatitis associated with skin contact with hydrocarbons.

6.3.7.3 *Ingestion*—Review the routes by which hydrocarbons can enter the body, including food and water contamination, hand to mouth contact, and so forth.

6.3.8 *Confined Space Entry*—Review Occupational Safety and Health Administration (OSHA), National Institute of Occupational Safety and Health (NIOSH), and National Fire Protection Association (NFPA) rules and regulations, guidelines for entry, including required oxygen level, testing for presence of combustible vapors, and other hazards.

6.3.9 *First Aid*—Review first-aid basics and general orientation.

6.4 *Safety and Health Requirements*—Methods to protect workers from chemical, physical, and thermal hazards will vary with incident.

6.4.1 *Industrial Hygiene (IH) Monitoring*—Summarize available techniques for monitoring ambient air concentrations.

6.4.1.1 *Material Safety Data Sheets*—Review MSDS's and familiarize responders with key information.

6.4.1.2 *Medical Monitoring*—Required for all workers exposed to levels above the permissible exposure limits.

6.4.2 *Respiratory Protection*—Infrequently used in oil spill cleanup. Required training covers the selection, inspection, use, care, and maintenance of the respirator. (Refer to 29 CFR 1910.134.)

6.4.3 *Eye and Ear Protection*—Conditions requiring splash goggles or face shields as opposed to safety glasses should be reviewed. Describe available ear protection equipment and conditions under which it would be required (see section 6.2.5.1). (Refer to 29 CFR 1910.133.)

6.4.4 *Flotation Devices*—Required for workers who will respond on water.

6.4.5 *Footwear*—Review types of boots available for shoreline work. (Refer to 29 CFR 1910.136.)

6.4.6 *Skin Protection:*

6.4.6.1 *Gloves*—Oil-resistant gloves should be identified pointing out unacceptable options. (Refer to 29 CFR 1910.138.)

6.4.6.2 *Personal Protective Clothing*—The required type of clothing and cleaning requirements should be discussed as well as the suitability of disposable garments. (Refer to 29 CFR 1910.132.)

6.4.7 *Hard Hats*—Review available types and minimum acceptable standards. (Refer to 29 CFR 1910.135.)

6.4.8 *Personal Hygiene*—Review the importance of cleanliness and sanitation for maintaining worker health during prolonged clean-up assignments. Also cover such personal needs as potable water, toilet facilities, food handling, and so forth.

6.4.9 *Decontamination Procedures*—Review the setup of a decon site (warm zone) and the procedures for ensuring that contaminated (oiled) materials do not inadvertently leave the work site.

7. Skilled Personnel Exemption

7.1 In some cases, a comprehensive and well-structured site safety briefing, instead of a formal training program, may suffice. This is especially important in the case of such skills as contractor boat operators whose formal training could delay a prompt response effort. This type of briefing is in accordance with OSHA's important "Skilled Support Personnel" exemption, under 29 CFR 1910.120.

8. Assessment

8.1 The effectiveness of the training should be assessed by

methods such as written or oral examination, field observation, interactive observations, and so forth.

8.2 Training should be reviewed and repeated as necessary to maintain worker qualification.

9. Keywords

9.1 health and safety training; oil spill responders; oil spills

The American Society for Testing and Materials takes no position respecting the validity of any patent rights asserted in connection with any item mentioned in this standard. Users of this standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, are entirely their own responsibility.

This standard is subject to revision at any time by the responsible technical committee and must be reviewed every five years and if not revised, either reapproved or withdrawn. Your comments are invited either for revision of this standard or for additional standards and should be addressed to ASTM Headquarters. Your comments will receive careful consideration at a meeting of the responsible technical committee, which you may attend. If you feel that your comments have not received a fair hearing you should make your views known to the ASTM Committee on Standards, 100 Barr Harbor Drive, West Conshohocken, PA 19428.

This standard is copyrighted by ASTM, 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959, United States. Individual reprints (single or multiple copies) of this standard may be obtained by contacting ASTM at the above address or at 610-832-9585 (phone), 610-832-9555 (fax), or service@astm.org (e-mail); or through the ASTM website (<http://www.astm.org>).