This document is not an ASTM standard and is intended only to provide the user of an ASTM standard an indication of what changes have been made to the previous version. Because it may not be technically possible to adequately depict all changes accurately, ASTM recommends that users consult prior editions as appropriate. In all cases only the current version of the standard as published by ASTM is to be considered the official document.



Designation: D 5960 - 9703

# Standard Specification for Technical Grade Ethylene Dichloride<sup>1</sup>

This standard is issued under the fixed designation D 5960; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon ( $\epsilon$ ) indicates an editorial change since the last revision or reapproval.

## 1. Scope

1.1 This specification covers technical grade ethylene dichloride.

## 2. Referenced Documents

2.1 ASTM Standards:

Current edition approved May June 10, 1997. 2003. Published M August 2003. Originally approved in 19986. Last previous edition approved in 1997 as D 5960-97.

<sup>&</sup>lt;sup>1</sup> This specification is under the jurisdiction of ASTM Committee D26 on Halogenated Organic Solvents and Fire Extinguishing Agents and is the direct responsibility of Subcommittee D26.02 on Vapor Degreasing.



#### TABLE 1 Technical Grade Ethylene Dichloride Requirements

	<i>,</i>	<u> </u>
Property	Specification	Test Method
Color, Pt-Co, max	10	D 2108
Ethylene Dichloride, Weight %, min	<del>99.8</del>	<del>D 3447</del>
Ethylene Dichloride, Weight %, min	99.8	D 6806
Specific Gravity, 25/25°C	1.248-1.252	D 2111
Acidity (as HCI), ppm, max	10	D 2989
Water, ppm, max	200	D 3401

D 2108 Test Method for Color of Halogenated Organic Solvents and Their Admixtures (Platinum-Cobalt Scale)<sup>2</sup>

D 2111 Test Methods for Specific Gravity of Halogenated Organic Solvents and Their Admixtures<sup>2</sup>

D 2989 Test Method for Acidity-Alkalinity of Halogenated Organic Solvents and Their Admixtures<sup>2</sup>

D 3401 Test Methods for Water in Halogenated Organic Solvents and Their Admixtures<sup>2</sup>

D-3447 Test Method 6806 Practice for Purity Analysis of Halogenated Organic Solvents

D 3844 Practice for Labeling Halogenated Hydrocarbon Solvent Containers<sup>2</sup>

D 4276 Practice for Confined Area Entry and Their Admixtures by Gas Chromatography<sup>2</sup>

2.2 U. S. Government Documents:

49 CFR 100 to 199 Department of Transportation Hazardous Materials Regulations<sup>3</sup>

29 CFR 1919.1200 Department of Labor, OSHA Regulations on Hazard Communications<sup>3</sup>

## 3. Chemical Composition

3.1 Technical grade ethylene dichloride shall conform to the requirements prescribed in Table 1.

## 4. Packaging and Package Marking

4.1 Package and label industrial or commercial quantities in accordance with DOT regulations 49 CFR 100 to 199, and in accordance with state and local regulations, and with OSHA regulations found in 29 CFR 1910.1200.

### 5. Keywords

5.1 ethylene dichloride;1,2-dichloroethane

This standard is copyrighted by ASTM International, 100 Barr Harbor Drive, PO Box C700, West Conshohocken, PA 19428-2959, United States. Individual reprints (single or multiple copies) of this standard may be obtained by contacting ASTM at the above address or at 610-832-9585 (phone), 610-832-9555 (fax), or service@astm.org (e-mail); or through the ASTM website (www.astm.org).

<sup>&</sup>lt;sup>2</sup> Annual Book of ASTM Standards, Vol 15.05.

<sup>&</sup>lt;sup>3</sup> The Code of Federal Regulations may be obtained from the Superintendent of Documents, U. S. Government Printing Office, Washington, DC 20402.

ASTM International takes no position respecting the validity of any patent rights asserted in connection with any item mentioned in this standard. Users of this standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, are entirely their own responsibility.

This standard is subject to revision at any time by the responsible technical committee and must be reviewed every five years and if not revised, either reapproved or withdrawn. Your comments are invited either for revision of this standard or for additional standards and should be addressed to ASTM International Headquarters. Your comments will receive careful consideration at a meeting of the responsible technical committee, which you may attend. If you feel that your comments have not received a fair hearing you should make your views known to the ASTM Committee on Standards, at the address shown below.